

(FILE 'HOME' ENTERED AT 07:47:20 ON 14 FEB 2003)

FILE 'CAPLUS, USPATFULL' ENTERED AT 07:47:40 ON 14 FEB 2003

L1 573073 S AEROSOL OR SPRAY?
L2 2437638 S DEVICE
L3 100 S INJECT? BUTTON
L4 14 S L1 AND L2 AND L3

WEST

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show 8 Numbers

Edit 8 Numbers

Preferences

Cases

Search Results -

Term	Documents
(6 AND 1).DWPI.	22
(L1 AND L6).DWPI.	22

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Search History
DATE: Friday, February 14, 2003 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set

DB=DWPI; PLUR=YES; OP=ADJ

<u>L7</u>	l1 and L6	22	<u>L7</u>
<u>L6</u>	l2 near2 l3	120	<u>L6</u>
<u>L5</u>	l1 (p) l2 (p) L3	0	<u>L5</u>
<u>L4</u>	l1 and l2 and L3	226	<u>L4</u>
<u>L3</u>	inject\$5	272537	<u>L3</u>
<u>L2</u>	button	60258	<u>L2</u>
<u>L1</u>	device	2041739	<u>L1</u>

END OF SEARCH HISTORY

WEST

Generate Collection

Print

L7: Entry 20 of 22

File: DWPI

Jul 25, 1995

DERWENT-ACC-NO: 1996-405613

DERWENT-WEEK: 199641

COPYRIGHT 2003 DERWENT INFORMATION LTD

TITLE: Operation device for mousse injection container - has pressing rod which presses injection button to inject mousse from container when containment holder is rotated by rotation shaft

PRIORITY-DATA: 1993JP-0331416 (December 27, 1993)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
JP 07187262 A	July 25, 1995		007	B65D083/14

INT-CL (IPC): B65 D 83/14

ABSTRACTED-PUB-NO: JP 07187262A

BASIC-ABSTRACT:

The device has a holder (14) which grasps a containment (C) with an injection button (B). A rotation shaft (13) rotates the holder which changes the position of the containment and the button.

A pressing rod (15) presses the injection button to inject a mousse from the containment.

ADVANTAGE - Automatically injects mousse without touching containment.